



NDTP30GN

Data

Ordering data

Product type description	NDTP30GN
Article number (order number)	103001848
EAN (European Article Number)	4030661416922
eCl@ss number, Version 9.0	27-37-12-10

Certifications

Certificates	cULus CCC IPA
--------------	---------------------

General data

Product name	Mushroom button NDTP
Standards	EN 60947-5-1 IEC/EN 60947-1
Versions	round Mushroom button Round
Sealing type	Membrane Lip gaskets
Material of the operators	Plastic
Material of the front ring	ABS, chrome-plated
Material of the bellows	Silicone
Colour of the operating element	Green
Colour of the front ring	Silver
Colour of the bellows	White

Gross weight 36 g

General data - Features

Mounting flange Yes
Probing possible Yes
Fully insulated Yes

Mechanical data

Mounting Mounting flange EFM
Actuating stroke 5 mm
Tightening torque of the screw 0.6 Nm

Mechanical data - Dimensions

Height 20 mm
diameters for the actuating heads 30 mm
Diameter hole 22.3 mm
Diameter hole, with tolerance indication 22.3 + 0.4 mm
Thickness, of the front panel, minimum 1.5 mm
Thickness of the front panel, maximum 6 mm
Spacing 50 x 50 mm

Ambient conditions

Protection class IP67
IP69K
Ambient temperature, minimum -25 °C
Ambient temperature, maximum +80 °C

Documents

Operating instructions and Declaration of conformity

(1,3 MB, 10.05.2019, Revision B)

BG-test certificate

(286,7 kB, 28.04.2020)

UL Certificate

(413,7 kB, 01.08.2019)

IPA Data

(242,8 kB, 10.05.2019, Revision A)

Brochure

(8,7 MB, 10.05.2019, Revision 03)

Pictures

Product picture (catalogue individual photo)



ID: kndtpf02


| 32,4 kB | .png | 74.083 x 74.083 mm - 210 x 210
Pixel - 72 dpi

| 355,8 kB | .jpg | 352.778 x 352.778 mm - 1000 x
1000 Pixel - 72 dpi

| 48,5 kB | .jpg | 27.093 x 27.093 mm - 320 x 320 Pixel
- 300 dpi

System components

EFMH/SEK - Mounting flange for position switch



101014388 EFM

- mounting flange with Position switch
- 30 mm x 42 mm x 92 mm
- Thermoplastic enclosure

K.A. Schmersal GmbH & Co. KG, Möddinghofe 3, D-42279 Wuppertal

The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible.

Generated on 23.06.2020 11:46:22