

DMS 3 SET 2**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Weidmüller torque screwdrivers have an ergonomic design and are therefore ideal for use with one hand. They can be used without causing fatigue in all installation positions. Apart from that, they incorporate an automatic torque limiter and have a good reproducibility accuracy.

General ordering data

Version	DMS 3, Mains-operated torque screwdriver
Order No.	9007480000
Type	DMS 3 SET 2
GTIN (EAN)	4008 190405298
Qty.	1 pc(s).

Creation date March 15, 2022 1:51:02 PM CET

Catalogue status 11.03.2022 / We reserve the right to make technical changes.

DMS 3 SET 2

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

Depth	205 mm	Depth (inches)	8.071 inch
Width	325 mm	Width (inches)	12.795 inch
Weight	2,004 g	Net weight	1,927 g

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
------------	----------------

Technical data

Description of article	Cordless torque screwdriver set, as set 1 but with additional rechargeable battery
------------------------	--

Electric screwdriver

Battery voltage	2.4 V	Bit holder	1/4" DIN 3126 Form E6.3
Idling speed	200 u. 400 min ⁻¹	Rated voltage	2.4 V
Rechargeable batteries	Ni-Mh cells	Torque setting, max.	3 Nm
Torque setting, min.	0.3 Nm	Weight	2,004 g
Weight of rechargeable battery	122 g		

Screwing tools

Torque setting, max.	3 Nm	Torque setting, min.	0.3 Nm
----------------------	------	----------------------	--------

Classifications

ETIM 6.0	EC001395	ETIM 7.0	EC001395
ETIM 8.0	EC001395	ECLASS 9.0	21-05-21-90
ECLASS 9.1	21-04-04-17	ECLASS 10.0	21-05-21-90
ECLASS 11.0	21-05-08-90		

Approvals

Approvals



ROHS

Conform

Downloads

Engineering Data	WSCAD
Catalogues	Catalogues in PDF-format

DMS 3 SET 2

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

Example of use

