

**W-Series  
WTR 4 STB SL****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 16


D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com



At Weidmüller, new solutions for the energy sector are developed according to local or application-based installation requirements.

In some countries, control and protection of switching installations for transmission and distribution networks must comply with the EA-TS 50-18 standard. The standard prescribes "spring-loaded" terminals in conjunction with hook-blade cable lugs in order to ensure additional safety. The Weidmüller "spring-loaded" terminals of the WDU SL series and the disconnect terminals of the WTL SL series comply with this standard. In the SL versions, the clamping yoke is backed up by a helical spring. Furthermore, this arrangement permits two conductors to be connected to one terminal when the hook-blade cable lugs are placed back to back. The aim of this arrangement is to ensure good electrical contact even if someone forgets to tighten the clamping screw!

**General ordering data**

|            |                                                                                  |
|------------|----------------------------------------------------------------------------------|
| Type       | WTR 4 STB SL                                                                     |
| Order No.  | <a href="#">7910300000</a>                                                       |
| Version    | W-Series, Test-disconnect terminal, Rated cross-section: 4 mm², Screw connection |
| GTIN (EAN) | 4008190576745                                                                    |
| Qty.       | 50 pc(s).                                                                        |

## W-Series WTR 4 STB SL

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

## Technical data

### Dimensions and weights

|                          |         |        |         |
|--------------------------|---------|--------|---------|
| Width                    | 6.1 mm  | Height | 61.5 mm |
| Height of lowest version | 47 mm   | Depth  | 46.5 mm |
| Net weight               | 14.76 g |        |         |

### Temperatures

|                                  |        |                                  |        |
|----------------------------------|--------|----------------------------------|--------|
| Continuous operating temp., min. | -50 °C | Continuous operating temp., max. | 120 °C |
|----------------------------------|--------|----------------------------------|--------|

### Additional technical data

|                          |                                                                                                                                                                 |                             |         |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------|
| Explosion-tested version | No                                                                                                                                                              | Number of similar terminals | 1       |
| Open sides               | right                                                                                                                                                           | Type of mounting            | Snap-on |
| Version                  | Screw connection,<br>Disconnection element,<br>with spring-loaded cable<br>clamp, with sockets, for<br>plug-in cross-connector,<br>One end without<br>connector |                             |         |

### CSA ratings data

|                               |                |                               |        |
|-------------------------------|----------------|-------------------------------|--------|
| Certificate No. (CSA)         | 200039-1057876 | Voltage size D (CSA)          | 300 V  |
| Current size D (CSA)          | 10 A           | Wire cross section max. (CSA) | 10 AWG |
| Wire cross section min. (CSA) | 22 AWG         |                               |        |

### Clampable wires (additional connection)

|                                                                                                   |                     |                                                                                                   |                   |
|---------------------------------------------------------------------------------------------------|---------------------|---------------------------------------------------------------------------------------------------|-------------------|
| Conductor cross-section, flexible plus<br>plastic collar DIN 46228/1, further<br>connection, min. | 0.5 mm <sup>2</sup> | Conductor cross-section, flexible plus<br>plastic collar DIN 46228/1, further<br>connection, max. | 4 mm <sup>2</sup> |
|---------------------------------------------------------------------------------------------------|---------------------|---------------------------------------------------------------------------------------------------|-------------------|

### Clampable wires (rated connection)

|                                                                                                                 |                     |                                                                                                                 |                      |
|-----------------------------------------------------------------------------------------------------------------|---------------------|-----------------------------------------------------------------------------------------------------------------|----------------------|
| Type of connection                                                                                              | Screw connection    | Stripping length                                                                                                | 13 mm                |
| Blade size                                                                                                      | 0.6 x 3.5 mm        | Connection direction                                                                                            | on side              |
| Number of connections                                                                                           | 2                   | Clamping range, rated connection, min.                                                                          | 0.22 mm <sup>2</sup> |
| Clamping range, rated connection, max.                                                                          | 6 mm <sup>2</sup>   | Clamping screw                                                                                                  | M 3                  |
| Tightening torque, min.                                                                                         | 0.5 Nm              | Tightening torque, max.                                                                                         | 0.6 Nm               |
| Torque level with DMS electric<br>screwdriver                                                                   | 2                   | Gauge to IEC 60947-1                                                                                            | A4                   |
| Wire connection cross section, solid<br>core, min. rated connection                                             | 0.5 mm <sup>2</sup> | Wire connection cross section, solid<br>core max. rated connection                                              | 6 mm <sup>2</sup>    |
| Wire connection cross section, stranded,<br>rated connection, min.                                              | 1.5 mm <sup>2</sup> | Wire connection cross section, stranded,<br>rated connection, max.                                              | 6 mm <sup>2</sup>    |
| Wire connection cross section, finely<br>stranded, max.                                                         | 4 mm <sup>2</sup>   | Wire connection cross-section, finely<br>stranded, min.                                                         | 0.5 mm <sup>2</sup>  |
| Wire connection cross section, finely<br>stranded with wire-end ferrules DIN<br>46228/1, rated connection, min. | 0.5 mm <sup>2</sup> | Wire connection cross section, finely<br>stranded with wire-end ferrules DIN<br>46228/1, rated connection, max. | 4 mm <sup>2</sup>    |
| Wire connection cross section AWG,<br>min.                                                                      | AWG 26              | Wire connection cross section AWG,<br>max.                                                                      | AWG 10               |

**W-Series  
WTR 4 STB SL**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technical data****Rated data**

|                                 |                   |               |               |
|---------------------------------|-------------------|---------------|---------------|
| Rated cross-section             | 4 mm <sup>2</sup> | Rated voltage | 500 V         |
| Rated impulse withstand voltage | 6 kV              | Rated current | 32 A          |
| Current at maximum wires        | 32 A              | Standards     | IEC 60947-7-1 |
| Pollution severity              | 3                 |               |               |

**UL ratings data**

|                                         |        |                                         |        |
|-----------------------------------------|--------|-----------------------------------------|--------|
| Certificate No. (UR)                    | E60693 | Voltage size C (UR)                     | 300 V  |
| Current size C (UR)                     | 22 A   | Conductor size Factory wiring max. (UR) | 10 AWG |
| Conductor size Factory wiring min. (UR) | 22 AWG | Conductor size Field wiring max. (UR)   | 10 AWG |

**Material data**

|                           |       |        |            |
|---------------------------|-------|--------|------------|
| Material                  | Wemid | Colour | Dark Beige |
| UL 94 flammability rating | V-0   |        |            |

**System specifications**

|                                   |          |                                  |                  |
|-----------------------------------|----------|----------------------------------|------------------|
| Product family                    | W-Series | Type of connection               | Screw connection |
| Connection direction              | on side  | Number of levels                 | 1                |
| Number of connections             | 2        | No. of clamping points per level | 2                |
| Levels cross-connected internally | No       | Mounting rail                    | TS 35            |
| End cover plate required          | Yes      | PE connection                    | No               |

**Classifications**

|            |             |            |             |
|------------|-------------|------------|-------------|
| ETIM 3.0   | EC000902    | UNSPSC     | 30-21-18-11 |
| eClass 5.1 | 27-14-11-31 | eClass 6.2 | 27-14-11-26 |
| eClass 7.1 | 27-14-11-26 |            |             |

**Product information**

|                                 |                                                                  |
|---------------------------------|------------------------------------------------------------------|
| Descriptive text technical data | UL/CSA 600 V possible with end plate WAP or WTW partition plate. |
|---------------------------------|------------------------------------------------------------------|

**Approvals**

Approvals




|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

### W-Series WTR 4 STB SL

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

## Drawings



# Addresses worldwide

Let's connect.

**AE United Arab Emirates**  
Weidmüller Middle East FZE  
Warehouse Q3-79  
SAIF-Zone  
P.O. BOX 8591  
Sharjah  
Tel. +971 65572723  
Fax +971 65572724  
wme.info@weidmueller.com

**AO Angola**  
Please contact  
Phambili Interface  
South Africa

**AR Argentina**  
CPI SA  
Bauness 2660  
C1431DOF Buenos Aires  
Tel. +54 11 4523 8008  
Fax +54 11 4522 0546  
info@cpi.com.ar  
www.cpi.com.ar

**AT Austria**  
Weidmüller GmbH  
IZ NOE Süd Straße 2b, Obj  
M 59  
2355 Wiener Neudorf  
Tel. +43 2236 67080  
Fax +43 2236 6708-899  
office.at@weidmueller.com  
www.weidmueller.com

**AU Australia**  
Weidmüller Pty. Ltd.  
PO BOX 6944  
Huntingwood 2148  
Huntingwood Drive 43  
Huntingwood NSW 2148  
Tel. +61 2 9671 9999  
Fax +61 2 9671 9911  
info@weidmuller.com.au  
www.weidmuller.com.au

**AZ Azerbaijan**  
Representative Office  
Rashad Mahmudov  
Demirchi Tower, 4th floor  
37, Khojali ave.  
AZ 1025 Baku  
Tel. +994 12 488 80 36  
Fax +994 12 488 80 37  
rashad.mahmudov@weidmueller.com

**BA Bosnia and Herzegovina**  
Please contact  
our Representative Office  
Weidmüller Interface GmbH  
& Co. KG  
Serbia

or  
BIG electric d.o.o  
Mladena Stojanovića 117A  
78000 Banja Luka  
Tel. +387 51926277  
Fax +387 51926277  
bigelectric@blic.net  
www.bigelectric.ba

**BE Belgium**  
Weidmüller Benelux B. V.  
Mechelsesteenweg 519 bus  
6 en 7  
1930 Nossegem  
Tel. +32 2 752 40 70  
Fax +32 2 751 36 06  
info@weidmueller.be  
www.weidmueller.be

**BG Bulgaria**  
Weid-Bul EOOD  
Bul. „Kliment Ohridski“ 13  
1756 Sofia  
Tel. +359 2 963 2560  
Fax +359 2 963 1098  
sofia@weidbul.com  
www.weidbul.com

**BH Bahrain**  
Khayber Trading Company  
P.O Box 1976  
Manama  
Tel. +973 720747  
Fax +973 720331  
khayber@batelco.com.bh

**BR Brazil**  
Weidmüller Conexel do Brasil  
Conexões Elétricas Ltda.  
Av. Presidente Juscelino, 642  
- Piraporinha  
Diadema, São Paulo  
09950-370  
Tel. +55 (11) 4366-9600  
Fax +55 (11) 4362-1677  
vendas@weidmueller.com.br  
www.weidmueller.com.br

**BW Botswana**  
Please contact  
Phambili Interface  
South Africa

**BY Belarus**  
TECHNIKON Ltd.  
Nezavisimosti pr. 177-9  
220125 Minsk  
Tel. +375 17 393-11-77  
Fax +375 17 3930080  
wm@technikon.by

**CA Canada**  
W Interconnections Canada  
Inc.  
10 Spy Court  
Markham Ontario L3R 5H6  
Tel. +1 (905) 475-1507  
Ext. 9836  
Fax +1 (905) 475-2798  
support@weidmuller.ca  
www.weidmuller.ca

**CG Congo**  
Please contact  
Phambili Interface  
South Africa

**CH Switzerland**  
Weidmüller Schweiz AG  
Rundbuckstraße 2  
8212 Neuhausen am  
Rheinfall SH  
Tel. +41 52 674 07 07  
Fax +41 52 674 07 08  
info@weidmueller.ch  
www.weidmueller.ch

**CL Chile**  
ATS-INTECH  
Maria Luisa Santander 0475  
Santiago  
Providencia 7500859  
Tel. +56 2 341 1271  
Fax +56 2 341 1275  
felipe@atsintech.com  
www.atsintech.com  
CPI CHILE LTDA  
Av. Presidente Frei Montalva  
6001, 47 complejo el cortijo  
Santiago - Conchalí  
Tel. +562 963 8440  
Fax +562 963 8440  
cpi@cpichile.cl  
www.cpichile.cl

**CN China**  
Weidmüller Interface  
(Shanghai) Co. Ltd.  
100 Yutong Road  
25 F, BM Intercontinental  
Business Center  
200070 Shanghai  
Tel. +86 21-22195008  
Fax +86 21-22195009  
customer.hotline@weidmueller.com.cn  
www.cnweidmuller.com

**CO Colombia**  
Automatización Avanzada  
S. A.  
Carrera 97 No., 24 c - 23  
Bodega 4  
110911 Bogotá-D.C.  
Tel. +57 (1) 547-8510  
Fax +57 (1) 422-3044  
comercial@automatizacionavanzada.com  
www.automatizacionavanzada.com

**CR Costa Rica**  
ELVATRON S. A.  
la Uruca 400 Norte Banco  
Costa Rica  
San Jose Costa Rica  
Tel. +506 2961-060  
Fax +506 5200-609  
dirk.haase@elvatron.com  
www.elvatron.com

**CZ Czech Republic**  
Weidmüller s.r.o.  
Lomnického 5/1705  
140 00 Praha 4  
Tel. +420 244 001 400  
Fax +420 244 001 499  
office@weidmueller.cz  
www.weidmueller.cz

**DE Germany**  
Weidmüller GmbH & Co. KG  
Ohmstraße 9  
32758 Detmold  
Postfach 30 54  
32720 Detmold  
Tel. +49 5231 1428-0  
Fax +49 5231 1428-116  
weidmueller@weidmueller.de  
www.weidmueller.de

**DK Denmark**  
Weidmüller Danmark  
Vallensbækvej 18A  
2605 Brøndby  
Tel. +45 27747800  
kundeservice@weidmuller.dk  
www.weidmuller.dk

**EC Ecuador**  
Elsystec S. A., Electricidad  
Sistemas y Tecnología  
Vasco de Contreras N35-25 1  
y Mañosa  
Quito - Pichincha  
Tel. +593 22456510  
Fax +593 22456755  
Elsystec@uio.satnet.net

**EE Estonia**  
Please contact  
our Representative Office  
Weidmüller Interface GmbH  
& Co. KG  
Latvia

or

Soots Interface OÜ  
Pärnu mnt 142  
11317 Tallinn  
Tel. +372 609 6933  
Fax +372 609 6933  
info@sootsinterface.ee  
www.sootsinterface.ee

**EG Egypt**  
Standard Electric (OMEGA)  
87, Mohamed Farid Street  
Heliopolis  
Cairo  
Tel. +202 26229000  
Fax +202 26221555  
stdelec@rite.com

**ES Spain**  
Weidmüller, S. A.  
Narcis Monturiol 11-13, Pol.  
Ind. Sudoeste  
8960 Sant Just  
Desvern - Barcelona  
Tel. +34 934 803 386  
Fax +34 933 718 055  
weidmuller@weidmuller.es  
www.weidmuller.es

**FI Finland**  
Weidmüller Suomi,  
Weidmüller Aktiebolaget  
sivulike  
Koy Plaza Vivace  
Äyritie 8C  
FI 1510 Vantaa  
Tel. +358 20 7351300  
Fax +358 800 114 667  
asiakaspalvelu@weidmuller.fi  
www.weidmuller.fi

**FR France**  
Weidmüller E. U. R. L.  
12, Chaussée Jules César  
BP 263 Osny  
95523 Cergy-Pontoise Cedex  
Tel. +33 1 34 24 55 00  
Fax +33 1 34 24 55 01  
mail@weidmuller.fr

**GB Great Britain**  
Weidmüller Ltd.  
Klippon House  
Centurion Court Office Park,  
Meridian East, Meridian  
Business Park  
Leicester  
LE19 1TP  
Tel. +44 116 282 3470  
Fax +44 116 289 3582  
marketing@weidmuller.co.uk  
www.weidmuller.co.uk

**GE Georgia**  
Please contact  
our Representative Office  
Rashad Mahmudov  
Azerbaijan.

**GR Greece**  
G.A. Solutions  
Ippokratous 11 Metamorfosi  
144 52 Athen  
Tel. +30 210 2823233  
Fax +30 210 2823233  
info@weidmuller.gr  
www.weidmuller.gr

**GT Guatemala**  
Prestelectro, Prestegard  
Electro, S.A.  
Avenida Petapa 44-22,  
Zona 12  
Guatemala City  
Tel. +502 2442-3346  
Fax +502 2476-8945  
ventas@prestelectro.com

**HK Hong Kong**  
Weidmüller (Hong Kong)  
Limited Co. Ltd.  
Unit 1617, Metropolis Tower  
No. 10 Metropolis Drive,  
Hunghom, Kowloon  
Tel. +852 3154 8088  
Fax +852 31548099  
Info-hk@weidmueller.com.hk

**HR Croatia**  
ElektroPARTNER d.o.o.  
Slavonska avenija 24/6  
HR-10000 Zagreb  
Tel. +385 (1) 6184 793  
Fax +385 (1) 6184 795  
elektropartner@zg-tcom.hr  
www.elektropartner.hr

**HU Hungary**  
Weidmüller Kereskedelmi Kft.  
Budapest  
Gubacsi út 6.  
1097  
Tel. +36 1 382 7700  
Fax +36 1 382 7701  
info@weidmueller.hu  
www.weidmueller.hu

**ID Indonesia**  
PT. Nego Electrindo  
Ruko Mega Grosir Cempaka  
Mas Blok I No. 20 - 22  
Jakarta 10640  
Tel. +62 21 42882255  
Fax +62 21 42882266  
sales@negoelectrindo.co.id

**IE Ireland**  
Please contact  
Weidmüller Ltd.  
Great Britain

**IL Israel**  
A. U. Shay Ltd.  
23/25, Embar Street  
49222 Petach-Tikva  
P.O. Box 1 00 49  
49222 Petach-Tikva  
Tel. +972 3-923-3601  
Fax +972 3-923-4601  
shay@uriel-shay.com  
www.uriel-shay.com  
ATEKA Ltd.  
4, Ha Tavor lane Industrial  
area Segula  
49691 Petach-Tikva  
P.O. Box 4710  
Petach-Tikva  
Tel. +972 73-200-1311  
Fax +972 3-924 4245  
marketing@ateka.co.il  
www.ateka.co.il

**IN India**  
Representative Office  
Weidmüller Electronics India  
Pvt. Ltd.  
12th Lane North Avenue, Opp  
Joggers Park,  
Kalyani Nagar, Pune  
411 006  
Tel. +91 20-41290090  
Nitish.Rajan@weidmueller.de  
www.weidmueller.com

**IS Iceland**  
Samey Automation Center  
Lyngas 13  
210 Garoabaer  
Tel. +354 510 5200  
Fax +354 510 5201  
Samey@samey.is  
www.samey.is

**IT Italy**  
Weidmüller S. r.l.  
Via Albert Einstein 4  
20092 Cinisello  
Balsamo Milano  
Tel. +39 02 660681  
Fax +39 02 6124945  
weidmuller@weidmuller.it  
www.weidmuller.it

**JM Jamaica**  
Please contact  
W Interconnections Inc.  
United States

**JO Jordan**  
Trans Jordan for Electro  
PO Box 33 06 07  
Amman  
Tel. +962 6 533 2020  
Fax +962 6 533 5800  
transjordan@batelco.jo

**JP Japan**  
Nihon Weidmüller Co. Ltd.  
Sphere Tower Tennoz 2-2-8  
Higashi-Shinagawa,  
Shinagawa-ku  
Tokyo  
140-0002  
Tel. +81 3 6711 5300  
Fax +81 3 6711 5333  
weidmullerjapan@weidmuller.co.jp  
www.weidmuller.co.jp

**KE Kenya**  
Please contact  
Phambili Interface  
South Africa

**KR Korea**  
Weidmüller Korea Co. Ltd.  
9th floor, Wonbang B/D  
Samseong 2-Dong, Gangnam-Gu  
Seoul 143-42  
Tel. +82 2-516-0003  
Fax +82 2-516-0090  
info@weidmuller.co.kr  
www.weidmuller.co.kr

**KZ Kazakhstan**  
Please contact  
OOO Weidmüller  
Russia

**LT Lithuania**  
Please contact  
our Representative Office  
Weidmüller Interface GmbH  
& Co. KG  
Latvia

or  
ELEKTROS IRANGA  
Tinklų g. 29 a  
LT-5319 Panevezys  
Tel. +370 (45) 582 828  
Fax +370 (45) 582 727  
info@eliranga.lt

**LU Luxembourg**  
Please contact  
Weidmüller Benelux B. V.  
Netherlands



You can find all Weidmüller addresses and your local contact on the internet at: [www.weidmueller.com/countries](http://www.weidmueller.com/countries)

Let's connect.

Sales company 

Representation abroad 

without representation abroad 

|                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>LV</b> <b>Latvia</b><br>SIA Abi4<br>Daugavgrivas 31b<br>Riga, LV-1007<br>Tel. +371 674 70999<br>Fax +371 674 65637<br>abi_4@tvnet.lv<br><br>Representative Office<br>Weidmüller Interface GmbH<br>& Co. KG<br>Udens str. 12-118<br>Riga, LV-1007<br>Tel. +371 29254766<br>Fax +371 676 24562<br>lgonis.rudaks@weidmueller.com<br>www.weidmueller.com | <b>MZ</b> <b>Mozambique</b><br>Please contact<br>Phambili Interface<br>South Africa                                                                                                                                                                                                                                                                                                                                                                | <b>PK</b> <b>Pakistan</b><br>Automation Controls (Pak)<br>Apartment No. 33 C III,<br>Chenab Block, Allama Iqbal<br>Town<br>Lahore<br>Tel. +92 42 37809948<br>Fax +92 42 37809950<br>nadeem@acpak.com.pk<br>www.acpak.com.pk                                                                                          | <b>SI</b> <b>Slovenia</b><br>Elektrospoji d. o. o.<br>Stegne 27<br>SI- 1000 Ljubljana<br>Osrednjeslovenska<br>Tel. +386 1 511 3810<br>Fax +386 1 511 1604<br>info@elektrospoji.si<br>www.elektrospoji.si                                                      | <b>UA</b> <b>Ukraine</b><br>LLC WM UKRAINE<br>Levanevskogo str. 6<br>Kiev<br>3058<br>Tel. +38 044 490 32 48<br>Fax +38 044 490 32 49<br>info@wm-ua.com.ua<br>wm-ua.com.ua/<br><br>Representative Office<br>Weidmüller Interface GmbH<br>& Co. KG<br>Z. office 303<br>7-D, Zdobunivska str.<br>Kiev, 2081<br>Mobile +38 050 440 25 24<br>info.ua@weidmueller.com                                                                                                                              |
| <b>MD</b> <b>Moldova</b><br>BERHORD A & D srl<br>79/1, str. Milescu Spartaru<br>MD-2075 Chisinau<br>Moldova<br>Tel. +373 (22) 815002<br>Fax +373 (22) 815007<br>atiuleanu@berhord.com<br>www.ad.berhord.com                                                                                                                                             | <b>NG</b> <b>Nigeria</b><br>Please contact<br>Phambili Interface<br>South Africa                                                                                                                                                                                                                                                                                                                                                                   | <b>PL</b> <b>Poland</b><br>Weidmüller Sp. z o. o.<br>ul. Ogrodowa 58<br>00-876 Warszawa<br>Tel. +48 22 510 09 40<br>Fax +48 22 510 09 41<br>biuro@weidmuller.com.pl<br>www.weidmuller.pl                                                                                                                             | <b>SK</b> <b>Slovakia</b><br>ELEKTRIS s.r.o.<br>Elektrárnská 1<br>831 04 Bratislava<br>Tel. +421 2/4920 0113<br>Fax +421 2/4920 0119<br>bratislava@elektris.sk                                                                                                | <b>US</b> <b>United States</b><br>W Interconnections Inc.<br>821 Southlake Boulevard<br>Richmond Virginia 23236<br>Tel. +1 (804) 794-2877<br>Fax +1 (804) 379-2593<br>info@weidmuller.com<br>www.weidmuller.com                                                                                                                                                                                                                                                                              |
| <b>ME</b> <b>Montenegro</b><br>Please contact<br>our Representative Office<br>Weidmüller Interface GmbH<br>& Co. KG<br>Serbia.                                                                                                                                                                                                                          | <b>NL</b> <b>Netherlands</b><br>Weidmüller Benelux B. V.<br>Franciscusweg 221<br>1216 SE Hilversum<br>P.O. Box 1505<br>1200 BM Hilversum<br>Tel. +31 35 626 12 61<br>Fax +31 35 623 20 44<br>info@weidmuller.nl<br>www.weidmuller.nl                                                                                                                                                                                                               | <b>PR</b> <b>Puerto Rico</b><br>Please contact<br>W Interconnections Inc.<br>United States                                                                                                                                                                                                                           | <b>SV</b> <b>El Salvador</b><br>Prestegard Electro<br>11 Avenida Norte No. 240<br>Edificio Salazar No. 2<br>San Salvador<br>Tel. +503 2271 1690<br>Fax +503 2221 3851<br>prestegard@navegante.com.sv                                                          | <b>UZ</b> <b>Republic of Uzbekistan</b><br>Please contact<br>OOO Weidmüller<br>Russia                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>MG</b> <b>Madagascar</b><br>Please contact<br>Phambili Interface<br>South Africa                                                                                                                                                                                                                                                                     | <b>NO</b> <b>Norway</b><br>Sivilingeniør J.F. Knudtzen AS<br>Billingstadsletta 97<br>1396 Billingstad<br>PO Box 160<br>1378 Nesbru<br>Tel. +47 66 98 33 50<br>Fax +47 66 98 09 55<br>firmapost@jfknudden.no<br>www.jfknudden.no                                                                                                                                                                                                                    | <b>PT</b> <b>Portugal</b><br>Weidmüller Sistemas de<br>Interface S. A.<br>Estrada Outeiro Polima, R.<br>Augusto Dias da Silva, Lote<br>B - Esc. 2<br>São Domingos de Rana<br>2785-515 Abóboda<br>Tel. +351 214 459 191<br>Fax +351 214 455 871<br>weidmuller@weidmuller.pt<br>www.weidmuller.pt                      | <b>SY</b> <b>Syria</b><br>Please contact<br>Weidmüller Middle East FZE<br>United Arab Emirates                                                                                                                                                                | <b>VN</b> <b>Vietnam</b><br>AUMI Industrial Equipment &<br>Automation Company Limited<br>E1, La Thanh Hotel<br>218 Doi Can Street<br>District<br>Hanoi City<br>Tel. +84 4 37628601<br>Fax +84 4 62661391<br>aumi@aumi.com.vn<br>www.aumi.com.vn<br><br>Representative Office<br>Weidmüller Pte. Ltd.<br>Level 16 Saigon Tower<br>Building<br>29 Le Duan Street<br>District 1<br>Ho Chi Minh<br>Tel. +848 3520 7717<br>Fax +848 3520 7604<br>info@weidmuller.com.sg                           |
| <b>MK</b> <b>Macedonia</b><br>Please contact<br>our Representative Office<br>Weidmüller Interface GmbH<br>& Co. KG<br>Serbia<br><br>or<br>ELEKTRO - SMK dool<br>UL. III Makedonska brigada<br>b.b.<br>1000 Skopje<br>Tel. +389 22460295<br>Fax +389 22460298<br>Elektro-smk@telekabel.net.mk                                                            | <b>NZ</b> <b>New Zealand</b><br>Cuthbert S. Stewart Ltd.<br>27 Te Puni Street<br>Petone<br>PO Box 38496<br>Wellington Mail Centre 5054<br>Tel. (04) 568 6156<br>Fax (04) 568 6056<br>csl@cuthbertstewart.co.nz<br><br>Cuthbert S. Stewart Ltd<br>4 Fred Thomas Drive<br>Aon Building, Ground Floor,<br>South Entry<br>Takapuna<br>PO Box 100 338<br>North Shore City 745<br>Tel. (09) 489 1751<br>Fax (09) 489 1752<br>cslak@cuthbertstewart.co.nz | <b>PY</b> <b>Paraguay</b><br>Please contact<br>CPI SA<br>Argentina                                                                                                                                                                                                                                                   | <b>SZ</b> <b>Swaziland</b><br>Please contact<br>Phambili Interface<br>South Africa                                                                                                                                                                            | <b>TH</b> <b>Thailand</b><br>Pisanu Engineering Co. Ltd.<br>Kwang Dingaeng, Khet<br>Dingaeng<br>800/2 Soi Trakulsuk, Asoke-<br>dindaeng Road<br>Dindaeng, Bangkok<br>10400<br>Tel. +66 2 248 2896<br>Fax +66 2 642 9220<br>ecsales@pisanu.co.th<br>www.pisanu.co.th<br><br>Representative Office<br>Weidmüller Pte. Ltd.<br>37/F, Sathorn Square Building<br>98 North Sathorn Road<br>Bangkok, Silom Bangrak<br>10500<br>Tel. +66 2 105 6300<br>Fax +66 2 105 6301<br>info@weidmuller.com.sg |
| <b>MT</b> <b>Malta</b><br>E. S. S., Electrical Supplies &<br>Services Ltd.<br>San Gwakkim Road<br>Mrieħel<br><br>Tel. +356 21255777<br>Fax +356 21255999<br>robert.agius@ess.com.mt                                                                                                                                                                     | <b>OM</b> <b>Oman</b><br>DAN INTERNATIONAL LLC.<br>Ghala St. 111<br>BP 2901<br>Seeb<br>Tel. +968 5036 77<br>Fax +968 5037 55<br>yed@danintl.com                                                                                                                                                                                                                                                                                                    | <b>RO</b> <b>Romania</b><br>Representative Office<br>Weidmüller Interface GmbH<br>& Co. KG<br>Ionescu Crum Street, No.<br>1, 1st Tower, 1st Floor,<br>Office 4<br>500446 Brasov - Brasov<br>Business Park<br>Tel. +40 (268) 446 222<br>Fax +40 (268) 446 224<br>claudiu.totea@weidmueller.com<br>www.weidmueller.com | <b>TR</b> <b>Turkey</b><br>Weidmüller Elektronik Ticaret<br>Ltd. Sirketi<br>Kavacik Mah. Orhan Veli Kanik<br>Caddesi 9/1<br>34810 Beykoz / Istanbul<br>Tel. +90 (216) 537 10 70<br>Fax +90 (216) 537 10 77<br>info@weidmuller.com.tr<br>www.weidmuller.com.tr | <b>ZA</b> <b>South Africa</b><br>Phambili Interface<br>PO Box 193<br>1609 Johannesburg, Edenvale<br>5 Bundo Road, Sebenza<br>1610 Johannesburg<br>Tel. +27 (11) 4521930<br>Fax +27 (11) 4526455<br>info@weidmuller.co.za<br>www.weidmuller.co.za                                                                                                                                                                                                                                             |
| <b>MU</b> <b>Mauritius</b><br>Mubelo Electrical Ltd.<br>Office 26, Gateway building,<br>St Jean Road<br>Quatre Bornes<br>Mauritius<br>Tel. +230 4670989<br>Fax +230 4654051<br>richard.mubelo@orange.mu                                                                                                                                                 | <b>PE</b> <b>Peru</b><br>IMPEXINCA S.A.C.<br>Calle Ortiz de Zevallos No.<br>105, Urb. San Antonio<br>18<br>Lima, Miraflores<br>Tel. +51 1 447 5608<br>info@impexinca.pe<br>www.impexinca.pe<br><br>J & W CIA. S. A.<br>Calle 6 Mz. D Lte. 23, Urb.<br>Ind. Grimanesa<br>1<br>Callao<br>Tel. +51 1 572 2539<br>Fax +51 1 572 0152<br>contacto@jwcia.com<br>www.jwcia.com                                                                            | <b>RU</b> <b>Russia</b><br>OOO Weidmüller<br>Warshavskoye highway, 25<br>A, bld. 6<br>Moskau<br>117105<br>Tel. +7 (495) 771-69-40<br>Fax +7 (495) 771-69-41<br>Info@weidmuller.ru<br>www.weidmuller.ru                                                                                                               | <b>TN</b> <b>Tunisia</b><br>Please contact<br>Weidmüller E. U. R. L.<br>France                                                                                                                                                                                | <b>ZM</b> <b>Zambia</b><br>Please contact<br>Phambili Interface<br>South Africa                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>MW</b> <b>Malawi</b><br>Please contact<br>Phambili Interface<br>South Africa                                                                                                                                                                                                                                                                         | <b>PH</b> <b>Philippines</b><br>Enclosure Systems Specialists<br>Inc.<br>2276 Don Chino Rocas<br>Avenue Extension<br>Room 103/105 Narra Building<br>1231 Makati City<br>Tel. +63 2 813 8580<br>Fax +63 2 813 8596<br>sales_encsys@pltdsl.net<br>www.enclosuresystemsph.com                                                                                                                                                                         | <b>SA</b> <b>Saudi Arabia</b><br>Please contact<br>Weidmüller Middle East FZE<br>United Arab Emirates                                                                                                                                                                                                                | <b>TW</b> <b>Taiwan</b><br>Weidmüller (Hong Kong)<br>Limited<br>No. 3, Lane 89, ChungYang<br>N. Rd.<br>24148 SanChuang City,<br>Taipei<br>Tel. +886 921 949 751<br>roy.lin@weidmueller.com.hk                                                                 | <b>ZW</b> <b>Zimbabwe</b><br>Please contact<br>Phambili Interface<br>South Africa                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>MX</b> <b>Mexico</b><br>W Interconnections S. A.<br>DE C. V.<br>Blvd. Hermanos Serdán 698,<br>Col. San Rafael Oriente<br>72029 Puebla<br>Tel. +52 (222) 268 6227<br>Fax +52 (222) 286 6242<br>clientes@weidmuller.com.mx                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <b>SE</b> <b>Sweden</b><br>Weidmüller AB<br>Axel Danielssons väg 271<br>BOX 31025<br>SE-200 49 Malmö<br>Tel. +46 77-143 00 44<br>Fax +46 40-37 48 60<br>info@weidmuller.se<br>www.weidmuller.se                                                                                                                      | <b>TZ</b> <b>Tanzania</b><br>Please contact<br>Phambili Interface<br>South Africa                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>MY</b> <b>Malaysia</b><br>Connect Plus Technology<br>Sdn Bhd<br>No. 43, Jalan PJS 11/22,<br>Bandar Sunway<br>46150 Petaling Jaya<br>Selangor Darul Ehsan<br>Tel. +60 3 5633 7363<br>Fax +60 3 5633 6562<br>paul@cptech.com.my<br>www.cptech.com.my                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <b>SG</b> <b>Singapore</b><br>Weidmüller Pte. Ltd.<br>70 Bendemeer Road<br># 04-03 Luzerne Building<br>Singapore 339940<br>Tel. +65 6841 5311<br>Fax +65 6841 5377<br>info@weidmuller.com.sg<br>www.weidmuller.com.sg                                                                                                |                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |