


**NDTP30SW**
**Data**
**Ordering data**

Product type description	NDTP30SW
Article number (order number)	103005360
EAN (European Article Number)	4030661434827
eCl@ss number, Version 9.0	27-37-12-10

**Certifications**

Certificates	cULus IPA
--------------	--------------

**General data**

Product name	Mushroom button NDTP
Standards	EN 60947-5-1 IEC/EN 60947-1
Versions	round Mushroom button Round
Sealing type	Membrane Lip gaskets
Material of the operators	Plastic
Material of the front ring	ABS, chrome-plated
Material of the bellows	Silicone
Colour of the operating element	Black
Colour of the front ring	Silver
Colour of the bellows	White
Gross weight	36 g

## General data - Features

Mounting flange	Yes
Probing possible	Yes
Fully insulated	Yes

## Mechanical data

Mounting	Mounting flange EFM
Actuating stroke	5 mm
Tightening torque of the screw	0.6 Nm

## Mechanical data - Dimensions

Height	20 mm
diameters for the actuating heads	30 mm
Diameter hole	22.3 mm
Diameter hole, with tolerance indication	22.3 + 0.4 mm
Thickness, of the front panel, minimum	1.5 mm
Thickness of the front panel, maximum	6 mm
Spacing	50 x 50 mm

## Ambient conditions

Protection class	IP67 IP69K
Ambient temperature, minimum	-25 °C
Ambient temperature, maximum	+80 °C

## Documents

### Operating instructions and Declaration of conformity

(1,3 MB, 10.05.2019, Revision B)

### BG-test certificate

(286,7 kB, 28.04.2020)

### UL Certificate

(413,7 kB, 01.08.2019)

### IPA Data

(242,8 kB, 10.05.2019, Revision A)

## Brochure

(8,7 MB, 10.05.2019, Revision 03)

## Pictures

### Product picture (catalogue individual photo)



ID: kndtpf02


| 32,4 kB | .png | 74.083 x 74.083 mm - 210 x 210  
Pixel - 72 dpi

| 355,8 kB | .jpg | 352.778 x 352.778 mm - 1000 x  
1000 Pixel - 72 dpi

| 48,5 kB | .jpg | 27.093 x 27.093 mm - 320 x 320 Pixel  
- 300 dpi

## System components

### EFMH/SEK - Mounting flange for position switch



101014388 EFM

- mounting flange with Position switch
- 30 mm x 42 mm x 92 mm
- Thermoplastic enclosure

K.A. Schmersal GmbH & Co. KG, Möddinghofe 3, D-42279 Wuppertal

The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible.

Generated on 23.06.2020 12:07:28